

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	150	(associat\$3 or link\$3 or relat\$3) with (print adj job) with (identifier or id)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/22 08:01
S2	86	(associat\$3 or link\$3 or relat\$3) near3 (print adj job) near3 (identifier or id)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 09:40
S5	3	((associat\$3 or link\$3 or relat\$3 or attach\$3 or assign\$3) with (print adj job) with (identifier or id)) same ((correlat\$5 or match\$5 or relat\$5 or combin\$5 or wrap\$5 or bundl\$5) with (print adj (information or data))) and ((@ad<"20010606") or (@prad<"20010606") or (@rlad<"20010606"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 10:55
S6	39	((associat\$3 or link\$3 or relat\$3 or attach\$3 or assign\$3) near2 (print adj job) near2 (identifier or id)) and ((@ad<"20010606") or (@prad<"20010606") or (@rlad<"20010606"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 10:59
S9	640	(correlat\$3 associat\$3 link\$3) with (print adj3 information) and ((@ad<"20010606") or (@prad<"20010606") or (@rlad<"20010606"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/17 14:40
S11	315	(correlat\$3 associat\$3 link\$3) with (print adj3 information) same (collect\$3 or gather\$3 or obtain\$3 or acquir\$3 or tak\$3 or stor\$3) and ((@ad<"20010606") or (@prad<"20010606") or (@rlad<"20010606"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/17 17:46
S15	219	(correlat\$3 associat\$3 link\$3) with (print adj2 information) same (collect\$3 or gather\$3 or obtain\$3 or acquir\$3 or tak\$3 or stor\$3) and ((@ad<"20010606") or (@prad<"20010606") or (@rlad<"20010606"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/17 15:34

EAST Search History

S16	19	(correlat\$3 associat\$3 link\$3) with (print adj2 information) same (collect\$3 or gather\$3 or obtain\$3 or acquir\$3 or tak\$3 or stor\$3) same (id or identifier or name) and ((@ad<"20010606") or (@prad<"20010606") or (@rlad<"20010606"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/17 17:38
S17	2	"20020188707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/17 15:49
S19	54	(print adj2 information) with (collect\$3 or gather\$3 or obtain\$3 or acquir\$3 or tak\$3 or stor\$3) with (id or identifier or name) and (print adj job) and ((@ad<"20010606") or (@prad<"20010606") or (@rlad<"20010606"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/17 16:28
S25	61	(assign\$3 or combin\$3 or attach\$3 or wrap\$4 or associat\$3 or link\$3) near3 (print adj job) near3 (identifier or id or name) and ((@ad<"20010606") or (@prad<"20010606") or (@rlad<"20010606"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/17 16:08
S26	53	((assign\$3 or combin\$3 or attach\$3 or wrap\$4 or associat\$3 or link\$3) near3 (print adj job) near3 (identifier or id or name)) same (correlat\$3 or link\$3 or associat\$3) and ((@ad<"20010606") or (@prad<"20010606") or (@rlad<"20010606"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/17 16:20
S27	2	((assign\$3 or combin\$3 or attach\$3 or wrap\$4 or associat\$3 or link\$3) near3 (print adj job) near3 (identifier or id or name)) same (correlat\$3 or link\$3 or associat\$3) with (job adj3 information) and ((@ad<"20010606") or (@prad<"20010606") or (@rlad<"20010606"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/17 16:28

EAST Search History

S30	1	399/79.ccls. and (job adj2 information) with (collect\$3 or gather\$3 or obtain\$3 or acquire\$3 or tak\$3 or stor\$3) with (id or identifier or name) and (print adj job) and ((@ad<"20010606") or (@prad<"20010606") or (@rlad<"20010606"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/17 17:32
S31	2	"20020188646"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 16:47
S33	17	correlat\$3 with (job adj2 information) and ((@ad<"20010606") or (@prad<"20010606") or (@rlad<"20010606"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/17 17:49
S34	64	(job adj2 information) with (collect\$3 or gather\$3 or obtain\$3 or acquire\$3 or tak\$3 or stor\$3) with (id or identifier or name) and (print adj job) and ((@ad<"20010606") or (@prad<"20010606") or (@rlad<"20010606"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 13:32
S39	15	correlat\$3 with ((before with after) or (pre-\$6 with post-\$6)) with (id or identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 13:48
S42	5	poll\$3 with vary\$3 with (rate or speed) with (device or printer or peripheral)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/18 14:40
S43	175	(associat\$3 or link\$3 or relat\$3) with (print adj job) with (identifier or id)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 19:11
S44	98	(associat\$3 or link\$3 or relat\$3) near3 (print adj job) near3 (identifier or id)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 19:11

EAST Search History

S45	3	((associat\$3 or link\$3 or relat\$3 or attach\$3 or assign\$3) with (print adj job) with (identifier or id)) same ((correlat\$5 or match\$5 or relat\$5 or combin\$5 or wrap\$5 or bundl\$5) with (print adj (information or data))) and ((@ad<"20010606") or (@prad<"20010606") or (@rlad<"20010606"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 19:11
S46	41	((associat\$3 or link\$3 or relat\$3 or attach\$3 or assign\$3) near2 (print adj job) near2 (identifier or id)) and ((@ad<"20010606") or (@prad<"20010606") or (@rlad<"20010606"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 19:11
S47	680	(correlat\$3 associat\$3 link\$3) with (print adj3 information) and ((@ad<"20010606") or (@prad<"20010606") or (@rlad<"20010606"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 19:11
S48	333	(correlat\$3 associat\$3 link\$3) with (print adj3 information) same (collect\$3 or gather\$3 or obtain\$3 or acquir\$3 or tak\$3 or stor\$3) and ((@ad<"20010606") or (@prad<"20010606") or (@rlad<"20010606"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 19:11
S49	230	(correlat\$3 associat\$3 link\$3) with (print adj2 information) same (collect\$3 or gather\$3 or obtain\$3 or acquir\$3 or tak\$3 or stor\$3) and ((@ad<"20010606") or (@prad<"20010606") or (@rlad<"20010606"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 19:11
S50	21	(correlat\$3 associat\$3 link\$3) with (print adj2 information) same (collect\$3 or gather\$3 or obtain\$3 or acquir\$3 or tak\$3 or stor\$3) same (id or identifier or name) and ((@ad<"20010606") or (@prad<"20010606") or (@rlad<"20010606"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 19:11
S51	2	"20020188707"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 19:11

EAST Search History

S52	58	(print adj2 information) with (collect\$3 or gather\$3 or obtain\$3 or acquire\$3 or tak\$3 or stor\$3) with (id or identifier or name) and (print adj job) and ((@ad<"20010606") or (@prad<"20010606") or (@rlad<"20010606"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 19:11
S53	63	(assign\$3 or combin\$3 or attach\$3 or wrap\$4 or associat\$3 or link\$3) near3 (print adj job) near3 (identifier or id or name) and ((@ad<"20010606") or (@prad<"20010606") or (@rlad<"20010606"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 19:11
S54	54	((assign\$3 or combin\$3 or attach\$3 or wrap\$4 or associat\$3 or link\$3) near3 (print adj job) near3 (identifier or id or name)) same (correlat\$3 or link\$3 or associat\$3) and ((@ad<"20010606") or (@prad<"20010606") or (@rlad<"20010606"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 19:11
S55	2	((assign\$3 or combin\$3 or attach\$3 or wrap\$4 or associat\$3 or link\$3) near3 (print adj job) near3 (identifier or id or name)) same (correlat\$3 or link\$3 or associat\$3) with (job adj3 information) and ((@ad<"20010606") or (@prad<"20010606") or (@rlad<"20010606"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 19:11
S56	1	399/79.ccls. and (job adj2 information) with (collect\$3 or gather\$3 or obtain\$3 or acquire\$3 or tak\$3 or stor\$3) with (id or identifier or name) and (print adj job) and ((@ad<"20010606") or (@prad<"20010606") or (@rlad<"20010606"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 19:11
S57	2	"20020188646"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 19:11

EAST Search History

S58	17	correlat\$3 with (job adj2 information) and ((@ad<"20010606") or (@prad<"20010606") or (@rlad<"20010606"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 19:11
S59	72	(job adj2 information) with (collect\$3 or gather\$3 or obtain\$3 or acquir\$3 or tak\$3 or stor\$3) with (id or identifier or name) and (print adj job) and ((@ad<"20010606") or (@prad<"20010606") or (@rlad<"20010606"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 19:11
S60	18	correlat\$3 with ((before with after) or (pre-\$6 with post-\$6)) with (id or identifier)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 19:11
S61	6	poll\$3 with vary\$3 with (rate or speed) with (device or printer or peripheral)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/17 19:11
S62	210	399/8,79.ccls. and (identifier id)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 16:58
S63	32	399/8,79.ccls. and (identifier id) with (correlat\$3 associat\$3 link\$3 wrap\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 18:27
S64	33	399/8,79.ccls. and (identifier id) with (assign\$3 delegat\$3 designat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 18:28
S65	2	399/8,79.ccls. and (identifier id) with (assign\$3 delegat\$3 designat\$3) with job	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/27 18:28